

NEOREST®

WX2 | WX1



TOTO

Life Anew

NEOREST® WX2 / WX1 WALL-HUNG TOILET

TOTO's new **NEOREST WX2** and **WX1** Wall-Hung models blend cutting-edge technology with a sleek space-saving design, offering unparalleled comfort, hygiene, and sustainability for a truly sophisticated bathroom experience.




NEOREST WX2
CWT9548CEMFX#01

NEOREST WX1
CWT9538CEMFG#01



reddot winner 2023



VIEW PRODUCT IN YOUR SPACE



PRODUCT FUNCTIONS

- Ultra high-efficiency TORNADO FLUSH® system - 1.2 GPF / 0.8 GPF (4.5 LPF / 3.0 LPF)
- Auto flush with back-up manual flush for power outages
- Auto open/close lid
- PREMIST® automatically mists the bowl before each use
- ACTILIGHT® CLEAN LIGHT technology built into the lid (*Only NEOREST WX2*)
- CEFIONTECT® ceramic glaze minimizes waste from sticking to porous ceramic surfaces
- UNIVERSAL HEIGHT
- Gentle aerated, warm water, dual-action spray with oscillating and pulsating features
- Instantaneous water heater for continuous warm water and energy savings
- Adjustable spray position, water temperature, and water pressure
- EWATER+® auto-cleans wand, bowl, and under-seat after every use
- Heated seat with temperature control
- Seamless seat design eliminates the gap where dirt collects
- Warm air dryer with five variable temperature settings
- Automatic air deodorizer
- Automatic and programmable energy saving systems
- Multifunction ergonomic stick-style remote control
- 4-users' personalized memory settings
- ADA compliant
- Night light

PRODUCT SPECIFICATIONS

Water Use	1.2 GPF & 0.8 GPF (4.5 LPF & 3.0 LPF)
Flush System	TORNADO FLUSH
Water Pressure	Flowing: Min 7.25 PSI (0.05 MPa) Static: Max 108.75 PSI (0.75 MPa)
Water Surface	5-5/8" x 4-1/8"
Trap Diameter	2-1/4"

Trap Seal	2"
Warranty	Residential: Three Year Limited Commercial: One Year Limited
Material	Bowl: Vitreous China Top Unit: Plastic
Shipping Weight	Bowl: 88.4 lbs Seat: 28.7 lbs
Shipping Dimensions	Bowl: 31-1/4" L x 18-3/8" W x 19-1/4" H Seat: 31-1/4" L x 20-5/8" W x 9-7/8" H

NEOREST® IN-WALL TANK UNIT FEATURES



IN-WALL TANK
WT175MA



NICKEL PUSH PLATE
YT990#N

PRODUCT FUNCTIONS

- Ultra high-efficiency dual flushing system - 1.2 GPF / 0.8 GPF (4.5 LPF / 3.0 LPF)
- Adjustable 15"-19" mounting height
- Supports up to 880 lbs
- Commercial 2" x 6" or optional residential installation with 2" x 4" wall studs with waste outlet kit
- Copper pipe supply line

PRODUCT SPECIFICATIONS

Water Use	1.2 GPF & 0.8 GPF (4.5 LPF & 3.0 LPF)
Flush System	Dual Flushing
Min. Water Pressure	Flowing: 8 PSI
Installation Height	15" to 19"
Warranty	One Year Limited

Material	Various
Shipping Weight	44 lbs
Shipping Dimensions	47-1/4" L x 26-3/16" W x 5-7/8" H

TOTO

Life Anew

SCAN CODE
TO PLAY VIDEO



SCAN CODE FOR DIGITAL
NEOREST WX2 & WX1 BROCHURE



[CATALOG.TOTOUSA.COM](https://catalog.totousa.com)

TOTO USA, INC.

1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#KO-022024-NWX2WX1B
Printed in the U.S.A. 02/24